Minutes of a meeting of Lupton Parish Council held by ZOOM on Wednesday 2nd December 2020 at 7.30pm.

Present were Councillors Stewart Lambert (Chairman), Gordon Higton, and Simon Nutter, and Parish Clerk Kevin Price. Apologies for absence were received from Councillors Alan Lambert and Robin Nicholson, and County and District Councillor Roger Bingham.

20/24 Public participation: None.

20/25 Requests for Dispensations: None.

20/26 Declarations of Interest:

There were no Declarations of Interest in respect of any matters on the agenda.

20/27 Minutes:

The minutes of the meeting held on 12th October 2020, having been circulated were accepted as a true record and signed by the Chairman.

20/28 Reports from County and District Councillors: None.

20/29 New notice board and defibrillator:

The Chairman reported that the new notice board is due to be delivered next week.

The defibrillator project is on hold due to the coronavirus pandemic.

20/30 Finance:

- a. The cash and budget statements were noted and any payments listed were agreed retrospectively.
- b. The Budget Report was considered and it was resolved that this Council makes a Precept upon South Lakeland District Council for the financial year 2021-22 in the sum of £3,700. The relevant forms will be signed when they arrive in December.

20/31 Planning: None.

20/32 Open Forum:

- a. The Clerk agreed to pass on these concerns to Councillor Bingham and to CCC Highways:
 - A large hole has appeared in the road just above the Kitridding lane end, caused by a machine or similar.

- ii. Recent heavy rain has caused flooding again at Nook, and from Cow Brow (where stones had to be placed recently in order to avoid a property being flooded) to Foulstone on the A65.
- b. The Chairman will investigate the faulty drain in the Parish Field.
- c. Councillor Nutter will check if the salt box at Cow Brow needs refilling.

20/33	Date	of	the	next	meeting
-------	------	----	-----	------	---------

Monday 1st February 2021 by ZOOM at 7.30pm.

Signed:

Dated: